

# KRS PACK

**Enjoy The Quality** 

FLEXIBLE PACKING PRODUCTS

#### WHO WE ARE

**KRS Pack** offers solutions for your packaging needs with a wide range of flexible packaging products, as the exclusive partner of **KÖKSAN** which is Turkey's leading manufacturer in plastic sector.


**KRS Pack** delivers high quality stretch films (hand type, machine type, cling films) produced in **KÖKSAN** facilities to the customers in Turkey and around the world.

Constantly renewing itself within the framework of quality management principles, **KRS Pack** keeps growing and providing the best service to our valued customer.

#### WHAT WE OFFER

- Our product portfolio; High Performance (Super Power) Stretch Films, Machine Type Stretch Films, Hand Type Stretch Films, Jumbo Type Stretch Films, Food Grade (Cling) Films, Pre-Stretch Films, Silage Films and Colored Stretch Films, Bubble Wraps, PE Films, Shrink Films.
- ❖ We contribute to the production and use of sustainable and recyclable materials with our packaging products obtained through chemical and mechanical recycling. Please contact us for our **RECYCLED** products.
- Our products are produced in accordance with food safety standards, customers' needs and legal obligations.
- Our company responds to customer demands in the fastest way with its competent sales and export team. We offer fast and reliable solutions to international demands thanks to our more than 20 years of experience in export operations.






- They are produced in the range of 8 to 50 microns with 5 and 7 layer cast technology.
- Packed in 3 pcs or 6 pcs or 8 pcs in carton boxes.
- They are produced in different specs and colors according to customer demand.
- Wraps sharps edges without tearing, the are flexible and strong. It is not affected by rain.
- The most economical solution for packing. Provides great savings from labor and time.
- Resists from 5 °C to 50 °C heat under normal conditions.
- Complies with international standarts.

Product Type	Specs			Width (cm)	Length (Mt)	Roll Weight	Number of Rolls/Box	Number of Boxes/Pallet
	Light	8 - 50 Micron	150%	10 - 60	100 - 600	2 - 6 Kg/Roll	3 - 6 - 8 Rolls	40
Hand Type	Standart		200%					60
Tiana Type	Heavy	0 V 30 WHEIGH	250%			Kg/Roll		00
			300%					80





- Resists from 5 °C to 50 °C heat under normal conditions.
- Wraps sharps edges without tearing, the are flexible and strong. It is not affected by rain.
- Standart thickness dimension is; 17 mic, 20 mic and 23 mic.
- They are produced with 5 and 7 layers cast film technology.
- They can be packed in boxes or pallets.
- They are produced in different specks and colors according to customer demands.

Product Type	Specs	Thickness (Mic)	Stretch Factor	Width (cm)	Length (Mt)	IP all Weight	Number of Boxes/Pallet
Standart	Light		150%	10 - 150			12-16 24-30
Power			200%			Maximum 56 Kg/Roll	
Super Power	Standart	8 - 50 Micron	250%		500 - 4000		46-60 69
many the	Heavy		300% - 350%		1.		80
	-	4 4 min -	Million I				1





- Resists from 5 °C to 50 °C heat under normal conditions.
- Can be stretched up to 350% on semi or fully automatic winding machines.
- Wraps sharps edges without tearing, the are flexible and strong. It is not affected by rain.
- Available in thickness starting from 12 mic and various widths. (400 mm, 450 mm, 500 mm, 750mm,
   1500mm)


	Product Type	Specs	Thickness (Mic)	Stretch Factor	Width (cm)	Length (Mt)		Number of Boxes/Pallet
	Super Power	Light Standart	8 - 50 Micron	200% 250% 300%	10 - 150	500 - 4000	10 - 56 Kg/Roll	15-30 40-46 60-69
ı		Heavy		350%				80



HIGH PERFORMANCE STRETCH FILMS



Enjoy The Quality



- Can be stretched up to 350% on semi or fully automatic winding machines.
- Durable, sticky and flexible and can be used in almost any field.
- It is usually in transparent or black colors.
- Helps to protect products in all weather conditions.
- Thanks to a wide pre-stretching aspect, provides cost-effective and efficient packaging solutions.
- 50 cm as standarts, 5000 and 6500 meter coils in 17 mic and 27 mic production the market is presented.

	Product Type	Specs	Thickness (Mic)	Stretch Factor	Width (cm) Width (cm)	Length (Mt)	Roll Weight	Number of Boxes/Pallet
8	Standart	-		150%	25		Maximum 56 Kg/Roll	12
	Power	Light		200%	30	1200-6000		16
		0 1	0. 7034	250%	40			
		Standart	8 - 50 Micron	300%	45			18
	Super Power	Heavy			50			24
		Heavy			75			







- Cling films ensure that your food retains its flavor and freshness along with protecting from moisture.
   It helps keeping the vitamins, minerals and fruit flavors and vegetables fresh and alive. In terms of health and hygiene, there is no harm in contact with food.
- Available roll width: 300 mm and 450 mm.
- Color options: transparent, balcony and violet.
- Antifog doped.
- Eco-friendly, 100% recyclable.

Product Type	Specs	Thickness (Mic)	Stretch Factor	Width (cm)	Length (Mt)	Roll Weight		Number of Boxes/Pallet
	Light		150%				3 - 6 Roll	20
	Ligite		200%	10 - 60				30
Hand Type	Standart	8 - 15 Micron			100 - 600	0.5 - 6 Kg/Roll		40
71			250%					60
	Heavy		300%					80





- Resists from 5 °C to 50 °C heat under normal conditions.
- Can be used in hand and automatic machines.
- It is economical.
- Since it is pre-stretched, it provides advantage 15%-25% to the user.
- Wrap sharp edges without tearing, they are flexible and strong. It is not affected by rain.
- Standard thickness sizes are 7-8-9-10-12 mics.
- They are produced with 5 and 7 layers cast film technology.
- Can be packed in bor or pallet.
- Can be produced in different specs according to customer demands.

Product Type	Specs	Thickness (Mic)	Width (cm)	Length (Mt)	Roll Weight	TO SHARE THE PARTY OF THE PARTY	Number of Boxes/Pallet
Hand Type	Power						20
N. 1. T	1000000	5 - 10 Micron	40 - 42	100 - 4000	1 - 12 Kg/Roll	1 - 6 Roll	40
Machine Type	PreStretch						60



- It is used in the packaging of baled animal feed products. Thanks to the resistance to the sunbeams and low oxygen permeability, it allows the products to be stored in an outer environment for a long time.
- Tear and puncture resistant.
- Ideal stickiness for optimum fermantation.
- · Works safely and ideally on the traditional winding machines.
- Available roll widths: 500 mm and 750 mm.
- Color options: White, Green and Black.
- Protective UV additive protecting up to 1 year.
- Eco-firendly, 100% recyclable.

Product Type	Thickness (Mic	<b>:</b> )	Width (cm)	Length (Mt)	Roll Weight			Number of Boxes/Pallet
								40
Cilaga Canatah	20 - 40 Micro	on 50 - 75		500 - 5000	Maximum 5 Kg/Roll	-6	1	46
Silage Stretch Film			50 - 75			O		60
ГШП					Kg/Koli			69
								80

SILAGE STRETCH FILMS





COLORED STRETCH FILMS



Enjoy The Quality



- It can be produced as one side balloon and sandwich.
- It is an economical packaging material that protects against impacts, scratches, dust, bumps, crushing, friction and vibration.
- It is an ideal packaging option for the transportation and preservation of products without damage.
- Furnitare, automative parts, electronic parts, white goods, gift items, etc. It is the most suitable type of packaging used as a preservative in the sectors.
- It can be produced in different specs in line with customer requests.

	Product Type	Specs			Length (Mt)	Roll Weight	Number of Rolls/Box	Number of Boxes/Pallet
d	Bubble Wrap	Economic	55 250 Migran	20, 200	20, 250	1 - 40 Kg/Roll	1 5 Dell	1
		Standart	55 - 250 Micron	20 - 200	20 - 250	1 - 40 Kg/Koll	1 - 5 Roll	20



- Keeps your product safe.
- Made of LDPE.
- Produced through high end machines.
- High tear and puncture resistance.
- Can be produced in different specs in line with the customer demand.
- Production is available with UV, Slip, antiblock additives on customer demand.

Product Type	Specs		Width (cm)	Length (Mt)	Roll Weight	Number of Rolls/Box	Number of Boxes/Pallet
		20 - 220 Micron	25 - 265	Optional			1
PE Film	Economic						4
						l Roll	8
Villes	Standart				Optional		12
Shrink Film							16
Sill lik Filli							20
							40

PE FILMS & SHRINK FILMS





## KRS PACK

**Enjoy The Quality** 

### KRS PACK LTD.



info@krspack.com

+90 545 727 6526 +90 530 303 2711

İncilipinar Mh. Emir İş Merkezi No:8/1 Şehitkamil/Gaziantep/TURKEY

